


PLAN
WITH COVER REMOVED



SECTION A-A

LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS

SAMPLING BOX

STANDARD PLAN

2044-0

APPROVED

Thomas A. Gidman
DIRECTOR OF PUBLIC WORKS

5/31/1992

DATE

SHEET 1 OF 2

SUPERSEDES COUNTY ENGINEER STD. 1-12

NOTES

1. THE APPROVAL OF THE COUNTY OF LOS ANGELES DEPARTMENT OF PUBLIC WORKS MUST BE OBTAINED BEFORE INSTALLATION.
2. IF INSTALLED OUTSIDE OF A BUILDING, ELEVATE THE SIDEWALLS ABOVE THE SURROUNDING GROUND SURFACE TO EXCLUDE STORM WATER.
3. IF LOCATED INSIDE OF A BUILDING, THE TOP OF SAMPLING BOX MAY BE LEVEL WITH FLOOR PROVIDED THAT WASTE ENTERS THROUGH INLET PIPE ONLY.
4. ALL SURFACE WATER MUST DRAIN AWAY FROM SAMPLING BOX TO EXCLUDE RAINWATER FROM THE PUBLIC SEWER.
5. STRUCTURE NOT FOR TRAFFIC LOADING.
6. THIS FACILITY TO BE CONSTRUCTED OF PORTLAND CEMENT CONCRETE.

LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS

SAMPLING BOX

STANDARD PLAN
2044-0
SHEET 2 OF 2